The Persistence of Structure

From Shape Space to Recursive Persistence:
Julian Barbour, Entaxy, and the RSVP Framework

Flyxion
Independent Researcher
May 11, 2026

Abstract

Julian Barbour's relational cosmology, developed most fully in *The Janus Point*, represents a profound ontological inversion: time, scale, and reference frames dissolve into evolving relational configurations, leaving complexity growth as the universe's dominant arrow. Yet Barbour's framework remains transitional. Its dynamical grammar is still inherited from Newtonian mechanics, complexity is tracked but not explained operationally, and the Janus Point functions as a hidden global anchor despite the theory's Machian intentions. This essay argues that the Relativistic Scalar-Vector Plenum (RSVP) extends Barbour's relational reduction into a fully recursive consistency framework. In the RSVP picture, the physically meaningful quantity is not entropy, complexity, or entaxy, but *recursively maintainable coherence*: only configurations that preserve admissibility across scales persist long enough to constitute stable structure. Barbour's Janus Point becomes a local admissibility extremum rather than a universal origin; his shape space becomes a special case of a constraint-selective projection manifold; and his records are reinterpreted as active operational constraints required for future inferential continuity. The essay concludes by extending the framework toward cognition, where the same recursive admissibility operators that govern cosmological persistence reappear as the structural conditions for memory, measurement, and predictive continuity.

Introduction: The Ontological Inversion

The history of physics can be read as a sequence of ontological compressions. Classical mechanics treated reality as matter evolving inside a preexisting spatial container governed by externally imposed laws. Relativity destabilized the fixed background, merging space and time into dynamical geometry, yet retained the assumption that lawful structure exists independently of the systems it governs. Modern cosmology inherited both frameworks while adding statistical thermodynamics, producing the contemporary picture of an expanding universe in which entropy increase provides the primary directional arrow.

Julian Barbour's relational cosmology represents one of the most sustained attempts to overturn this inheritance. In *The Janus Point* (2020), Barbour argues that neither absolute space, absolute scale, nor conventional time are fundamental. Instead, the universe should be described entirely in terms of evolving relational configurations. The universe does not expand through an external metric backdrop; its internal relational geometry changes *shape*. Time itself becomes reconstructible from ordered relational differences rather than existing as an independent parameter.

This constitutes a genuine ontological inversion. Reality ceases to be a collection of objects embedded within spacetime and becomes instead a trajectory through relational configuration space. The Machian commitment is total: change is primary; everything else is abstracted from it.

Yet Barbour's framework remains transitional. While it successfully removes external coordinate structures, it still presupposes a globally coherent dynamical grammar governing the evolution of shape space. The Janus Point functions as a privileged geometric pivot around which temporal asymmetry organizes. Complexity increases statistically as the system evolves away from this pivot, but the framework does not fully account for why coherent structure *persists* rather than collapsing into rigidity or dissipating into noise.

The Relativistic Scalar-Vector Plenum (RSVP) extends the relational turn beyond geometry into recursive admissibility. Rather than treating phys-

ical law as a pre-existing grammar operating on configurations, RSVP interprets persistence itself as the result of constraint-selection across admissibility landscapes. Stable structures survive not merely because they are statistically favored, but because they maintain recursive consistency across scales.

The transition from Barbour to RSVP therefore marks a deeper inversion:

The transition moves from relational geometry to operational persistence, from lawful evolution to admissibility management, and from static ontology to recursive consistency architecture.

The Janus Point becomes not the origin of order, but a special case within a broader landscape of recursive stabilization.

The Geometry of the Minimal State

Barbour's Global Anchor

The Janus Point emerges from the Newtonian N-body problem under conditions of non-negative total energy. In such systems, the global scale of the particle distribution decreases from infinity to a finite minimum before increasing again. Near this minimal configuration, particle distributions become maximally uniform — the most homogeneous state the system can occupy. Moving away from the Janus Point in either temporal direction produces increasing clustering and relational differentiation.

Barbour formulates this through the concept of *complexity*: a scale-invariant quantity measuring the degree to which particles cluster rather than distribute uniformly. At the Janus Point, complexity is minimal. As the system evolves outward, complexity grows monotonically in both temporal directions, giving rise to two bidirectional arrows of time that point away from the central configuration.

The elegance of this picture lies precisely in its avoidance of imposed initial conditions. Temporal asymmetry does not need to be stipulated; it emerges from the gravitational dynamics of relational structure.

The Problem of the Hidden Anchor

Nevertheless, the Janus Point introduces a structural tension that becomes visible from within an admissibility framework.

Although Barbour explicitly rejects absolute time, the Janus Point functions as a globally privileged geometric state. It implicitly establishes a universal ordering principle — a hidden absolute anchor — around which the entire cosmological trajectory is coordinated. Even if no observer can access both halves of the resulting bi-universe simultaneously, the theory still relies upon a globally distinguished minimum configuration as its organizational center.

The theory therefore smuggles a form of cosmic meta-time ordering back into the geometry. The Janus Point is defined precisely as the moment when global shape has reached its most uniform state, which means the theory already presupposes that "global state" is a coherent and uniquely identifiable object.

That presupposition is not trivially available in a fully relational framework.

Decentralized Admissibility

RSVP critiques this requirement for a singular global minimum.

In recursive admissibility frameworks, there is no necessity for one privileged universal pivot. Instead, local regions of high-symmetry reintegration continuously emerge within the plenum as part of ongoing dynamical regulation. Uniformity is not a singular historical event but a recurring accessibility condition — something the system negotiates locally rather than instantiates once.

The cosmological question shifts accordingly. Rather than asking why the universe began in a low-entropy state, RSVP asks:

> *What conditions permit recursively maintainable structure to emerge and stabilize within an admissibility landscape?*

This dissolves the need for a universal temporal pivot while preserving the emergence of directional persistence. Janus-like states become local admis-

sibility extrema — recurring features of the landscape rather than cosmological origins.



Figure 1: Barbour's bidirectional Janus geometry (solid) contrasted with RSVP distributed local admissibility extrema (dashed). RSVP requires no privileged global pivot; admissibility basins recur across the plenum.

Complexity and the Arrow of Time

The Boltzmann Box and Its Limits

Barbour's critique of entropy centers on confinement. Classical thermodynamics emerged from systems enclosed within boundaries — steam engines, gases in containers, mechanically isolated volumes. Under such conditions, systems evolve toward equilibrium distributions, and entropy becomes associated with increasing uniformity.

Barbour argues this intuition fails entirely for unconfined gravitational systems. Gravity naturally amplifies clustering rather than suppressing it. A gas in a box spreads; a gravitational system collapses into structure. Applying box-thermodynamics to cosmology therefore produces what Barbour regards as a systematic distortion: the universe's increasing complexity gets misread as entropy increase rather than recognized as relational differentiation.

To formalize this inversion, Barbour introduces *entaxy* — a measure of the admissible volume of relational configuration space corresponding to a given level of structural organization. As the universe moves away from the Janus

Point, entaxy decreases while complexity increases. Structure is not disorder; it is organized relational specificity.

This is a strong and largely correct criticism of naive thermodynamic cosmology. Gravitational entropy has always been conceptually anomalous precisely because gravity produces structure rather than diffusion. Barbour geometrizes this anomaly rather than dismissing it.

The Limits of Entaxy

Yet entaxy remains fundamentally descriptive.

It explains why clustering emerges statistically in unconfined gravitational systems. It does not explain why coherent structure persists dynamically — why some configurations remain recursively stable across scales while others collapse, decohere, or dissipate. Entaxy tracks the growth of structural differentiation, but it provides no mechanism by which the system avoids two failure modes: terminal rigidity (over-concentrated, causally isolated clusters) and diffusive dissolution (structures that differentiate but cannot maintain internal coherence).

This is the central gap between Barbour's framework and an admissibility theory.

The Lamphron–Lamphrodyne Duality

RSVP addresses this gap through the lamphron–lamphrodyne duality — two operationally defined pressures governing the dynamics of structural persistence.

Lamphron designates the differentiation pressure: the tendency for systems to generate localized structure, constrain relational identity, form stable memory configurations, and specialize toward predictive specificity. Operationally, lamphron corresponds to local trajectory specialization that increases admissibility resolution — the system narrows its accessible future states by committing to particular relational configurations.

Lamphrodyne designates the reintegration pressure: the redistributive and smoothing dynamics that prevent terminal rigidity. Operationally, lam-

phrodyne corresponds to the entropy-redistribution dynamics required when a configuration becomes recursively overconstrained — when its internal coherence can no longer be maintained without external admissibility exchange. A configuration under lamphrodyne pressure must redistribute information and energy across scales to remain dynamically legible.

Together, these pressures produce what might be called a *breathing* cosmology. Unlike Barbour's one-way trajectory from uniformity to clustering, RSVP describes an ongoing cycle in which structure is continuously vetted against its capacity to remain recursively admissible.

Persistence as the Physically Meaningful Quantity

This leads to the central claim distinguishing RSVP from both classical thermodynamics and Barbour's entaxy framework:

> *Only recursively admissible configurations persist.*

The arrow of time therefore ceases to be merely the direction of increasing clustering, complexity, or entaxy decrease. It becomes the direction in which predictive continuity remains constructible — the direction in which the lamphron–lamphrodyne balance permits ongoing structural stabilization rather than terminal collapse or dissolution.

This separates three distinct pictures of cosmological directionality:

Standard thermodynamics holds that systems evolve toward equilibrium; Barbour's framework holds that systems evolve toward clustering complexity; RSVP holds that systems evolve toward recursively maintainable admissibility regimes. These are not equivalent descriptions. A crystal is highly ordered; a star is dynamically structured; a hurricane is locally coherent; a biosphere is recursively stabilized. Only the last constitutes persistence in the RSVP sense.

The Emergence of Reference: Projection and Constraint

Kepler Pairs as Emergent Clocks

One of Barbour's most important insights concerns the genesis of measurement. As gravitational systems evolve away from the Janus Point, particles form stable Kepler pairs — gravitationally bound subsystems that function simultaneously as rods, clocks, and compasses. Measurement therefore emerges from dynamical stabilization rather than being imposed from outside.

This is a profound observation. Clocks are not coordinate devices superimposed on physics. They are dynamically stabilized relational attractors — structures that persist long enough to serve as reference baselines for other structures.

The Projection Formalism

RSVP formalizes this through the projection operator:

$$\hat{\pi} : X \longrightarrow \mathbb{M}_a$$

Here X represents the underlying high-dimensional trajectory space of all dynamically possible paths, while $\mathbb{M}_a$ represents the compressed admissibility manifold — the set of trajectories that remain operationally accessible given the system's current constraint structure.

Barbour's shape space can be interpreted as an early relational form of such a projection geometry. His central move — quotienting out translations, rotations, and absolute scale to retain only relational configurations — is mathematically close to the RSVP compression operator. Both frameworks reduce redundant coordinates and preserve only dynamically meaningful relational structure.

Projection as Cosmological Grammar

However, RSVP introduces a claim that Barbour's framework does not make explicit: projections are dynamically consequential. Compression changes future admissibility conditions.

Consider observational cosmology itself. Once the universe is interpreted through the grammar of metric expansion, subsequent theoretical trajectories become trapped within expansion-compatible explanatory manifolds. Problems such as dark matter, dark energy, inflation, and the horizon problem then appear as downstream stabilization artifacts of the original projection choice — attempts to preserve coherence within the constraints set by the compressed representation.

This is not a criticism of metric expansion as such. It is an illustration of a general principle: the choice of projection manifold determines which futures remain conceptually accessible. A measuring device, a coordinate system, and a theoretical framework all function as projection operators that constrain subsequent admissibility.

Measurement does not passively record reality. It participates in its stabilization. Reference frames are not descriptive tools; they are active operators of recursive persistence, trapping future trajectories into specific admissibility namespaces.



Figure 2: The projection operator $\hat{\pi}$ compresses total trajectory space X into the admissibility manifold $\mathbb{M}_a$, constraining which future explanatory structures remain accessible. The dashed box illustrates how a particular projection grammar (here, metric expansion) traps subsequent theoretical development within a specific namespace.

The Localist Turn: Event-Level Admissibility

Against Global Reconstruction

One of the deepest assumptions shared by both conventional signal processing and conventional cosmology is the assumption of global reconstruction. Raw events are aggregated into large representational buffers and only then transformed into coherent structure through global operations. In signal processing this appears through Fourier analysis and spectral decomposition. In cosmology it appears through globally coordinated metric descriptions, universal state functions, and reconstruction of cosmic history through large-scale geometric inference.

This methodology implicitly assumes that coherence is something recovered *after* aggregation.

RSVP challenges this assumption at the architectural level.

In recursively admissible systems, coherence already exists at the event layer itself. Stable recurrence patterns do not need to be globally solved because admissible timing relations are locally preserved through recursive constraint filtering. The system does not reconstruct coherent structure through a global transform; it recognizes structure through persistent local parity, interval stability, and admissible recurrence.

The distinction is not merely computational. It is ontological.

A representation-first architecture assumes that reality becomes meaningful only after sufficient global aggregation. A persistence-first architecture assumes that meaningful structure emerges directly through local recursive stabilization.

Shape Space and Local Persistence

This clarifies the central divergence between Barbour's relational cosmology and the RSVP framework.

Barbour's shape dynamics still presupposes a globally coherent trajectory through relational configuration space. Complexity is defined through the global organization of the system as a whole, and the Janus Point functions as a distinguished geometric extremum coordinating the emergence of temporal directionality.

RSVP instead treats large-scale structure as the emergent consequence of distributed local admissibility relations. Geometry is not solved globally and then imposed downward. It emerges upward from recursively stabilized constraint structures operating directly at the event level.

This transforms the role of cosmological coordination entirely. Reference frames become residual stabilization artifacts rather than pre-existing coordinate systems. Cosmological regularity becomes the consequence of distributed admissibility filtering rather than globally synchronized evolution. Memory becomes a recursively accessible trajectory preserved by operational continuity rather than a passive storage of representations.

The universe therefore behaves less like a globally integrated equation and more like a locality-preserving recursive filter.



Figure 3: Local event-level admissibility propagation. Coherence emerges through recursive neighbourhood stabilization rather than global reconstruction. Dashed rings indicate successive admissibility horizons; arrows indicate locally constrained trajectory directions.

Persistence as the Fundamental Invariant

The resulting shift is profound. Global descriptions do not disappear because they are false; they become secondary accounts of structures that are already locally stabilized.

The primary invariant is no longer global geometry but recursive persistence itself.

Structures survive because they remain admissible across scales. Local constraint systems continuously negotiate stabilization without requiring a single centralized reconstruction of total state. The cosmos persists not because it is coordinated by a universal supervisory geometry, but because distributed recursive consistency-management prevents admissible structures from vanishing faster than they can reintegrate.

This provides a very different image of physical law. Laws cease to appear as opaque global commands imposed upon matter from outside. They become emergent regularities generated by locality-preserving recursive persistence.

The universe becomes legible precisely because persistence remains locally repairable.

Records as Operational Constraints

Barbour's Geometric Records

Barbour frequently treats records as fossilized relational traces embedded within present configurations. The past survives through stable geometric correlations preserved in current arrangements of matter. Memory is a kind of structural sediment — the present configuration carries the imprint of prior shapes.

This is geometrically elegant and philosophically significant. It dissolves the traditional asymmetry between past and future by locating temporal evidence entirely within present structure. There is no need for a metaphysical "passage of time"; only configurations that encode differential information about prior states.

The Admissibility Log

RSVP radicalizes this insight in a direction Barbour does not pursue.

Records are not merely traces of prior states. They are operational con-

straints required for future continuity. The Admissibility Log, $\mathcal{L}_{\text{adm}}$, formalizes this principle: a record exists not because it describes a past event, but because maintaining it preserves recursive consistency across future trajectories.

The distinction matters enormously.

In Barbour's account, a record is a geometric artifact — something left behind by prior dynamical evolution, epistemically available to present observers. In the RSVP account, a record is a *functional constraint* — something the system must maintain in order to remain recursively admissible. A record that ceases to be operationally compatible with the system's future trajectory is not merely lost information; it is a structural failure that changes which futures remain accessible.

Memory, on this account, is not retrospective. It is infrastructural.

Time as Directional Record-Utility

This reframes the nature of time itself.

Time is not fundamentally the accumulation of complexity. Nor is it the ordering of successive relational shapes. Time, in the RSVP picture, becomes the directional persistence of usable records — the direction in which prior constraints remain operationally functional for maintaining future admissibility.

A system experiences temporal continuity insofar as its admissibility log remains coherently extensible. When prior constraints can no longer be integrated into future trajectories — when the records lose operational compatibility — the system undergoes a form of structural rupture that constitutes, in a precise sense, temporal discontinuity.

Causality follows from this picture. Causes are not merely prior events. They are persistent admissibility constraints governing which futures remain accessible. The arrow of time is therefore the direction of record-constructibility: the direction in which the admissibility log supports rather than blocks future trajectory space.

Cognition as Recursive Admissibility

From Cosmology to Cognitive Architecture

The transition from cosmological admissibility to cognitive architecture is not a change of subject. It is the recognition that the same organizational operators recur across scales because persistence itself obeys shared accessibility constraints.

Consider what a cognitive system must do to remain operationally functional. It must maintain an admissibility log — a record structure that preserves inferential continuity across successive states. It must project high-dimensional environmental trajectories onto compressed manifolds that remain actionable. It must balance lamphron pressure (the drive toward increasingly specific predictive representations) against lamphrodyne pressure (the need to remain flexible enough to revise constraints without structural collapse).

A mind, on this account, is not a container of representations. It is a recursively stabilized admissibility manifold — a system that persists by continuously negotiating the compression-reintegration balance.

Memory, Measurement, and Predictive Continuity

Barbour's Kepler pairs and RSVP's projection operators converge here in a striking way. Both treat measurement as emergent stabilization rather than external imposition. Both recognize that clocks, rods, and reference frames are persistent relational attractors rather than coordinate conventions.

In cognitive terms: perceptual systems are not passive recorders. They are projection operators that collapse environmental trajectory space into admissible action manifolds. Memory is not archival storage; it is the operational constraint structure that keeps future inference admissible. Attention is lamphron pressure — the selective specialization that increases predictive resolution at the cost of narrowing accessible futures.

The pathological failure modes are symmetric. Over-specialization (exces-

sive lamphron pressure) produces rigid, non-revisable predictive models — cognitive brittleness. Over-generalization (excessive lamphrodyne pressure) produces diffuse, incoherent representations incapable of maintaining predictive continuity — cognitive dissolution.

The healthy cognitive system, like the healthy cosmological structure, is one that maintains the lamphron–lamphrodyne balance across scales — recursively admissible at every level of description.

Against the Janus Reversal

The Problem of Bidirectional Time

One of the most philosophically striking claims in Barbour's framework is that temporal arrows emerge bidirectionally from the Janus Point. As the system evolves away from the point of minimal complexity, observers on both sides experience what appears locally to be a forward-moving arrow of time. The resulting picture is not a multiverse but what Barbour calls a *bi-universe*: two temporally opposed branches emerging from a common state of maximal uniformity.

The elegance of this construction is undeniable. It preserves the time symmetry of the underlying equations while simultaneously accounting for the experienced asymmetry of temporal direction. Yet the construction introduces a deep conceptual difficulty.

The Janus reversal presupposes that the universe possesses a globally coherent trajectory capable of being meaningfully partitioned into two temporal halves. The universe must therefore already exist as a unified meta-history before either branch can inherit its local arrow.

In effect, the framework removes absolute time only to reintroduce a hidden global chronology through geometric structure itself. The Janus Point is defined as the moment when global shape reaches maximal uniformity — but this already presupposes that "global state" is a uniquely identifiable and coherent object. That presupposition is not trivially available in a fully

relational framework.

RSVP rejects this requirement. Time does not reverse at a Janus point because recursive admissibility does not require a globally mirrored trajectory. Temporal direction emerges locally from the preservation of predictive continuity within recursively stabilized structures. The arrow of time is therefore not generated by motion away from a universal minimum, but by the directional extension of admissibility-preserving records.

The distinction is precise: Barbour: Minimal Complexity $\longrightarrow Bidirectional Time$ $RSVP:\ Recursive Persistence \longrightarrow Directional Continuity$

Temporal asymmetry does not arise because the universe expands away from a special point. It arises because recursively admissible structures can only maintain coherent predictive extension in one operational direction at a time.

Persistence Without Reversal

The RSVP framework therefore removes the need for a cosmological mirror branch entirely. There is no requirement for time to face both ways from a privileged geometric pivot because admissibility itself already generates directionality.

A record either remains operationally extensible or it does not. A constraint either preserves predictive continuity or it fails. The arrow of time is simply the direction in which admissibility logs remain recursively constructible.

This removes one of the most problematic implications of Janus cosmology: that the universe requires a globally coordinated temporal bifurcation to produce local asymmetry. RSVP instead treats temporal asymmetry as a local consequence of recursive stabilization.

Time does not reverse. Structures persist.

Void Dominance and Topological Redistribution

Expansion Without Metric Inflation

Barbour correctly recognizes that observational cosmology directly observes changes in relational structure rather than an externally measurable expansion through a fixed metric backdrop. RSVP extends this critique further by questioning whether cosmological evolution should be interpreted primarily as metric expansion at all.

In the RSVP picture, the universe does not fundamentally grow larger. Rather, its admissibility structure redistributes.

What conventional cosmology interprets as expansion increasingly appears as a shift in topological dominance: void regions progressively occupy larger fractions of the relational accessibility landscape while dense structures become increasingly filamentary and sparse. Galactic superstructures do not separate because space itself stretches. Instead, recursively admissible low-density regions become dominant relative to highly constrained baryonic configurations. The visible universe appears more diffuse because admissibility pathways favor smoothing and redistribution over terminal concentration.

The ontological distinction across the three frameworks is therefore: Standard cosmology: Space expands
Barbour: Shape complexity increases
RSVP: Accessibility structure redistributes

The universe is not primarily a metric object. It is a recursively negotiated admissibility field whose large-scale behavior is governed by the ongoing redistribution of structural coherence.

Filamentary Dissolution

As void dominance increases, galactic filaments become progressively thinner and less dynamically influential. Dense matter distributions appear increasingly wispy relative to the growing dominance of low-density accessibility regions.

This process is not thermodynamic decay in the conventional sense. It is a redistribution of admissibility gradients. Highly localized structures lose

their capacity to maintain strong causal differentiation relative to the increasing smoothness of the surrounding plenum.

The universe therefore evolves toward large-scale topological smoothing without requiring either total collapse or runaway metric expansion. This avoids two standard cosmological endpoints simultaneously: the gravitational singularity of terminal collapse, and the irreversible dilution implied by metric heat death.

Instead, RSVP predicts progressive relational homogenization through admissibility redistribution — a smoothing that is neither catastrophic nor entropic in the classical sense.



Figure 4: Topological redistribution in RSVP cosmology. Dense filamentary structure (left) becomes progressively attenuated as low-density admissibility regions (dotted) dominate the accessible relational landscape. The transition is not metric expansion but structural redistribution.

Poincaré Smoothing and the Return of Symmetry

Smoothness Without Maximum Disorder

One of the deepest differences between RSVP cosmology and both standard thermodynamics and Barbour's entaxy framework concerns the asymptotic fate of structure.

Barbour treats increasing complexity as effectively monotonic. The universe moves away from maximal uniformity toward progressively richer clustering and differentiation, with no developed principle of reintegration.

RSVP instead predicts that sufficiently long timescales produce large-scale admissibility smoothing. After Poincaré-like recurrence intervals, recursively unstable distinctions are gradually eliminated. Dense structures dissolve, filaments attenuate, and admissibility gradients flatten. Yet this process does not produce maximum disorder in the thermodynamic sense.

Instead, the universe approaches a state of maximal relational redundancy.

This distinction is essential. A thermodynamic heat death corresponds to the exhaustion of usable energy gradients within a statistical ensemble. RSVP smoothing instead corresponds to the collapse of meaningful distinguishability itself: variations become operationally identical because their admissibility consequences converge. The resulting state resembles a crystal lattice more closely than a thermal gas.

The Black Hole Era as Admissibility Purification

In conventional cosmology, the black hole era represents the exhaustion of large-scale free-energy gradients. Galaxies disperse, stars decay, and black holes eventually evaporate through Hawking radiation, leaving the universe in an increasingly dilute thermal equilibrium.

RSVP interprets this era differently.

The late cosmological regime is not merely the disappearance of matter structure. It is the progressive elimination of unstable admissible distinctions. Black holes act not as entropy sinks in the conventional thermodynamic sense, but as long-duration smoothing operators that remove recursively unsustainable asymmetries from the admissibility field. They are better understood as extreme local admissibility concentration regimes participating in the same redistribution dynamics that governs all structural evolution within the plenum.

Over cosmological timescales, localized structures lose their capacity to preserve independent causal differentiation. Filaments attenuate, constraint gradients flatten, and recursively isolated structures dissolve back into the

surrounding admissibility field.

The universe therefore undergoes a form of admissibility purification. What disappears is not merely matter concentration, but operationally meaningful distinction itself. The black hole era does not terminate cosmological evolution; it acts as a gigantic filtering process through which distinctions incapable of remaining recursively integrated are progressively eliminated.

Lawfulness Without Structure

Yet the disappearance of structure does not imply the disappearance of lawfulness.

In RSVP, laws are not external prescriptions imposed upon matter. They are the invariant admissibility relations that survive recursive smoothing. As cosmological evolution eliminates unstable distinctions, progressively fewer configurations remain operationally differentiable. Matter structures fade, but admissibility invariants persist.

This produces a crucial inversion of standard thermodynamic logic.

The asymptotic universe is not maximally chaotic. It is maximally redundant. Remaining configurations increasingly belong to the same admissibility equivalence classes because their future trajectory consequences converge. The universe progressively forgets particular structures while preserving the consistency relations governing admissible transformation itself.

Objects disappear.
Persistence survives.

The final cosmological state therefore retains lawfulness even after nearly all conventional structure has dissolved. Laws persist not because they are encoded in surviving objects, but because they are the invariant relational constraints that recursive smoothing cannot eliminate.

In a sense, the universe ends not as matter but as consistency.

In the asymptotic RSVP regime, the universe approaches an effectively scale-invariant smoothing state in which any remaining variations become recursively equivalent under admissibility transformations. Distinctions no

longer meaningfully alter future trajectory accessibility.

This produces an unusual inversion of entropy logic.

Conventionally, maximal smoothness is associated with maximal entropy. Within RSVP, however, a perfectly recursive lattice possesses extremely low effective entropy precisely because admissible distinctions have collapsed into equivalence classes. The state is not one of maximal disorder but of maximal informational gauge redundancy.

The universe does not end in chaos. It ends in recursive redundancy.

This asymptotic state is not a return to initial conditions in any cyclical cosmological sense, nor is it a reversal through a Janus pivot. The late-universe lattice is historically generated through recursive smoothing and admissibility redistribution. Its symmetry is emergent rather than primordial — the residue of long-duration constraint selection rather than a recapitulation of origin.

Geometry as the Residue of Persistence

This clarifies the deepest inversion separating RSVP from Barbour's relational cosmology.

For Barbour, geometry generates persistence: the relational structure of shape space determines how complexity evolves, and persistence is what follows from dynamical stability within that geometry.

For RSVP, recursive persistence generates effective geometry: stable geometric structure is the stabilized shadow left behind by admissibility relations that survived recursive constraint filtering across cosmological timescales.

Geometry is therefore not fundamental ontology. It is stabilized persistence made visible. And smoothness — which for Barbour marks only the improbable beginning — marks for RSVP both the beginning and the asymptotic limit of cosmological evolution: two faces of the same admissibility condition, separated by the entire history of recursive structure formation.

Conclusion: Admissibility as the Architecture of Persistence

The transition from Barbour's relational cosmology to RSVP's admissibility geometry represents a genuine shift in the philosophy of physics — not merely an alternative cosmological model, but a reconception of what physics is for.

Barbour dismantles many inherited assumptions: absolute scale, absolute temporal background, externally imposed reference frames. His relational reduction is philosophically serious and technically precise. The Janus Point represents a real contribution to understanding how temporal asymmetry can emerge without stipulated initial conditions.

RSVP extends this dismantling by questioning the status of physical law itself:

In standard cosmology, laws generate trajectories; in Barbour, relational geometry generates temporal structure; in RSVP, recursive admissibility generates effective lawfulness.

Laws become emergent operators of consistency management rather than transcendent prescriptions imposed upon matter. The universe increasingly resembles a self-organizing protocol for preserving recursively stable structure across scales — not because it "wants" structure, but because only structure that remains admissible persists long enough to appear as structure at all.

The Janus Point survives within this framework not as a universal origin, but as a local admissibility extremum — a region of the landscape where differentiation pressure has temporarily stabilized near maximum symmetry. Barbour's shape space survives as a special case of the projection formalism, with the crucial addition that compression is dynamically consequential. His geometric records survive as operational constraints, with the crucial addition that memory is infrastructural rather than retrospective. His bi-universe does not survive: time does not reverse because directional continuity is a local consequence of recursive stabilization, not a global consequence of departure from a privileged pivot.

The universe RSVP describes is neither the thermodynamic machine running toward equilibrium nor the geometric expansion process trending toward complexity. It is a continuously negotiated admissibility field that begins in approximate smoothness, differentiates through lamphron pressure, sustains structure through recursive admissibility management, redistributes accessibility as voids dominate and filaments attenuate, and asymptotically approaches a state of maximal relational redundancy — a crystal-lattice limit whose symmetry is emergent rather than primordial.

Smoothness is both beginning and limit. Between them lies the entire history of recursive structure: the conditions for cosmological stability, cognitive coherence, and temporal experience turn out to be, at the appropriate level of abstraction, the same admissibility conditions — encountered at different scales of the same ongoing negotiation.

Further Directions

The foregoing argument establishes the philosophical architecture of RSVP admissibility theory. Several directions suggest themselves for rigorous extension of the framework into mathematically investigable territory. The following subsections identify the most consequential of these.

Admissibility as a Stability Functional

One of the unresolved questions in any recursive admissibility framework is whether admissibility can be formalized as a genuine dynamical functional rather than treated merely as a descriptive heuristic.

The RSVP framework implicitly assumes that recursively stable structures occupy regions of trajectory space that minimize destructive inconsistency while preserving coherent future accessibility. This suggests the existence of a generalized admissibility functional $\mathcal{L}[\mathcal{A}]$ whose evolution governs whether a configuration remains dynamically maintainable across scales.

If such a functional exists, recursive persistence begins to resemble a Lyapunov-like stability principle:

$$\frac{d\mathcal{L}}{dt} \leq 0.$$

The significance of this possibility is substantial. It would imply that recursive admissibility is not simply a philosophical reinterpretation of survival, but a mathematically identifiable stability condition constraining which trajectories remain physically realizable. Establishing whether $\mathcal{L}[\mathcal{A}]$ admits monotonic evolution — or identifying the conditions under which it fails to do so — would connect the admissibility flow directly to gradient-flow systems, renormalization group flows, and Lyapunov stability theory. In this picture, cosmological persistence, cognitive coherence, and measurement stability all become manifestations of the same underlying principle: the minimization of recursively destructive inconsistency.

Projection Blindness and Irrecoverable Compression

The RSVP projection operator does more than reduce representational complexity. It actively determines which futures remain operationally accessible.

Once a trajectory space has been compressed into an admissibility manifold $\hat{\pi} : X \to \mathbb{M}_a$, the discarded dimensions are not merely hidden — they may become operationally unrecoverable. The kernel of the projection,

$$\ker(\hat{\pi}),$$

therefore represents not mathematical redundancy but lost trajectory accessibility: regions of configuration space that can no longer participate in future stabilization because the system's projection grammar has filtered them out.

This has implications far beyond cosmology. Scientific paradigms, cognitive models, and measurement systems all generate projection-induced blindness. Once stabilization occurs within a compressed explanatory manifold, future reasoning inherits the admissibility structure of that compression. The system no longer merely describes reality; it operates within the constraints produced by the projection through which reality became legible. Formalizing $\ker(\hat{\pi})$ as an information-destroying morphism would give precise content to notions of measurement collapse, historical irreversibility, and paradigm lock-in.

Coherence Before Reconstruction

Conventional reconstruction-based architectures assume that coherence is a property recovered only after sufficient aggregation. Signal-processing systems gather samples into large buffers, perform global transforms, and infer structure retrospectively from accumulated data.

The RSVP framework proposes the inverse ordering. Coherence exists prior to reconstruction whenever local admissibility relations remain recursively stabilized. Structure does not emerge because a global transform discovers it; structure persists because local recursive constraints continuously pre-

serve admissible relations. The ontological priority reverses:

$$Standard reconstruction: \quad aggregation \rightarrow coherence$$

$$RSVP localism: \quad coherence \rightarrow stable aggregation$$

This distinction is fundamental rather than merely computational. In the RSVP picture, large-scale order is the macroscopic residue of locally persistent admissibility relations that never lost coherence in the first place. The actionable consequence is that toy simulations demonstrating local recurrence stabilization outperforming global reconstruction under noise and latency constraints would constitute direct experimental evidence for this ordering — and cellular-automata-scale models could already test it.

Equivalence Collapse and the Late Universe

The asymptotic smoothing regime described in Section X should not be interpreted as the destruction of order, but as the progressive collapse of operationally meaningful distinction. As recursive smoothing proceeds, increasingly many trajectories become admissibly equivalent:

$$d_{\mathcal{A}}(\gamma_1, \gamma_2) \rightarrow 0.$$

This does not imply that all microscopic variation disappears. Rather, it means that remaining distinctions no longer alter future admissibility structure in physically meaningful ways. The late universe approaches a quotient-degenerate regime in which multiple configurations belong to the same operational equivalence class. The crystal-lattice limit is not perfect classical order; it is recursive smoothing that has eliminated distinctions producing different admissibility outcomes. The universe asymptotically forgets individuality while preserving consistency. Making this precise requires identifying the quotient structure $\Omega/G_{\mathcal{A}}$ where $G_{\mathcal{A}}$ denotes the group of admissibility-preserving transformations — a well-posed mathematical question whose answer would rigorously distinguish RSVP's asymptotic prediction from thermodynamic heat death.

Geometry as an Emergent Compression Layer

A central implication of the foregoing framework is that geometry may be secondary to recursive admissibility rather than foundational to it.

In standard physical ontology, geometry provides the primary stage upon which matter evolves. In Barbour's framework, geometry becomes relational but retains explanatory priority through the structure of shape space. RSVP instead suggests that geometry is the stabilized compression layer produced by recursively persistent admissibility relations. Stable geometries survive because they minimize destructive inconsistency across scales. Spatial structure therefore behaves less like an externally existing arena and more like a dynamically maintained equivalence structure generated through recursive stabilization.

The strongest eventual formalization of this claim would likely be categorical rather than metric: admissibility-preserving morphisms, gluing conditions across local patches, obstruction cancellation, and local-to-global consistency theorems are already implicit in the framework's architecture. In that formulation, geometry, cognition, measurement, lawfulness, and persistence become special cases of recursive constraint propagation across admissibility-preserving morphisms — and RSVP becomes most rigorous not as an alternative cosmology but as a generalized consistency geometry.

Appendices

Recursive Admissibility Dynamics

This appendix sketches a minimal mathematical formalization of recursive admissibility within the RSVP framework. The goal is not to derive a fully predictive cosmology, but to specify the structural conditions under which recursive persistence can emerge as a dynamical invariant.

Let the universe be represented by a trajectory space

$$X = \{\gamma(t) \mid \gamma : \mathbb{R} \to \Omega\},$$

where Ω denotes the total relational configuration space.

The admissibility field

$$\mathcal{A} : \Omega \to \mathbb{R}_{\geq 0}$$

assigns to each configuration a measure of recursively maintainable continuity. Configurations with low admissibility fail to preserve stable constraint propagation across scales, while high-admissibility regions support persistent structural coherence.

The dynamical evolution of admissibility is written schematically as

$$\frac{\partial \mathcal{A}}{\partial t} = \lambda \nabla^2 \mathcal{A} - \mu \|\nabla \mathcal{A}\|^2 + \nu \mathcal{C}(\Omega),$$

where λ governs smoothing and reintegration dynamics (lamphrodyne pressure), μ governs local specialization and constraint concentration (lamphron pressure), and $\mathcal{C}(\Omega)$ represents recursive coherence production.

The competition between the smoothing term and the specialization term determines whether a configuration remains recursively admissible.

A stable admissibility basin satisfies

$$\frac{\partial \mathcal{A}}{\partial t} \approx 0,$$

while maintaining bounded curvature:

$$\sup_{\Omega} \|\nabla^2 \mathcal{A}\| < \infty.$$

Recursive persistence therefore corresponds not to static equilibrium but to metastable admissibility balance.

The projection operator

$$\hat{\pi} : X \to \mathbb{M}_a$$

maps the full trajectory space into an admissibility manifold

$$\mathbb{M}_a \subseteq \Omega$$

containing only recursively accessible trajectories.

The physically realized universe is therefore not the total trajectory space itself but the subset that survives recursive admissibility filtering:

$$\mathbb{M}_a = \{\gamma \in X \mid \mathcal{A}(\gamma(t)) > \epsilon \quad \forall t \in I\},$$

for some admissibility threshold $\epsilon > 0$.

This formalizes the central RSVP principle:

> *Persistence is not the default state of matter. It is the subset of trajectories capable of recursively preserving admissibility across scales.*

Projection Geometry and Admissibility Compression

Barbour's shape space construction removes redundant coordinates by quotienting relational configurations under translation, rotation, and scaling symmetries. RSVP generalizes this procedure by treating projection itself

as dynamically consequential.

Let Ω denote the total relational configuration space and let G be a symmetry group acting on Ω. The quotient

$$\Omega/G$$

defines an equivalence structure in which physically redundant distinctions are identified. Barbour's shape space may therefore be represented as

$$\mathbb{S} = \Omega/\mathrm{Sim}(3),$$

where $\mathrm{Sim}(3)$ denotes the similarity group generated by translations, rotations, and global scalings.

RSVP extends this construction by introducing admissibility-weighted projection operators. Instead of treating all quotient directions as equally irrelevant, the RSVP projection selects trajectories according to recursive persistence criteria:

$$\hat{\pi}(\gamma) = \arg\max_{\eta \sim \gamma} \mathcal{A}(\eta),$$

where $\eta \sim \gamma$ denotes equivalence under admissibility-preserving transformations.

Projection therefore ceases to be purely representational. It becomes dynamically selective. This induces an admissibility metric on trajectory space:

$$d_{\mathcal{A}}(\gamma_1, \gamma_2) = \inf_{\phi \in G} \int |\mathcal{A}(\gamma_1(t)) - \mathcal{A}(\phi \cdot \gamma_2(t))|\, dt.$$

Two trajectories become effectively indistinguishable when their admissibility difference vanishes:

$$d_{\mathcal{A}}(\gamma_1, \gamma_2) \to 0.$$

The asymptotic RSVP universe therefore approaches an admissibility quotient regime in which increasingly many trajectories collapse into the same equivalence classes. The late universe is not maximally disordered; it is maximally quotient-redundant. Distinctions disappear because admissibility-

preserving transformations map remaining trajectories into operational equivalence classes.

Asymptotic Smoothing and the Crystal-Lattice Limit

Let $\rho(x,t)$ denote the relational differentiation density of the plenum. Regions of high ρ correspond to strong localized structure, constraint concentration, and causal differentiation. The long-duration smoothing dynamics may be modeled through a nonlinear admissibility flow:

$$\frac{\partial \rho}{\partial t} = D\nabla^2\rho - \alpha\rho^n + \beta\mathcal{R}(\rho),$$

where $D\nabla^2\rho$ represents large-scale smoothing, $\alpha\rho^n$ represents the decay of recursively unstable concentrations, and $\mathcal{R}(\rho)$ represents recursive stabilization feedback.

During the structure-dominated epoch,

$$\beta\mathcal{R}(\rho) > \alpha\rho^n,$$

allowing galaxies, stars, and coherent structures to persist.

During the asymptotic smoothing regime,

$$D\nabla^2\rho + \alpha\rho^n \gg \beta\mathcal{R}(\rho),$$

and recursively unstable distinctions progressively dissolve.

The system evolves toward an admissibility fixed point

$$\rho(x,t) \to \rho_\infty, \qquad \nabla\rho_\infty \to 0.$$

Unlike conventional thermal equilibrium, ρ_∞ does not correspond to maximum statistical disorder. Instead, the asymptotic state satisfies an admis-

sibility equivalence condition:

$$\forall\, x_i, x_j \in \Omega, \qquad \hat{\pi}(x_i) = \hat{\pi}(x_j),$$

meaning that remaining distinctions no longer alter future admissibility structure.

The late universe therefore approaches a quotient-symmetric state in which all remaining admissible configurations belong to the same operational equivalence class:

The universe does not end in chaos. It ends in recursive redundancy.

The asymptotic cosmological state is therefore best interpreted not as heat death but as admissibility degeneracy: the collapse of meaningful distinguishability under recursive smoothing.



Figure 5: Asymptotic recursive smoothing collapses distinguishable trajectories $x_1, \ldots, x_5$ into a shared admissibility equivalence class. The late universe is not maximally disordered but maximally quotient-redundant: distinctions cease to produce materially different admissible futures.

References

[1] Julian Barbour, *The Janus Point: A New Theory of Time*, Basic Books, 2020.

[2] Julian Barbour and Bruno Bertotti, "Mach's Principle and the Structure of Dynamical Theories," *Proceedings of the Royal Society A*, vol. 382, no. 1783, pp. 295–306, 1982.

[3] Julian Barbour, "Scale-Invariant Gravity: Particle Dynamics," *Classical and Quantum Gravity*, vol. 20, pp. 1543–1570, 2003.

[4] Julian Barbour, Tim Koslowski, and Flavio Mercati, "Identification of a Gravitational Arrow of Time," *Physical Review Letters*, vol. 113, no. 18, 181101, 2014.

[5] Flavio Mercati, *Shape Dynamics: Relativity and Relationalism*, Oxford University Press, 2018.

[6] Ernst Mach, *The Science of Mechanics*, Open Court Publishing, 1893.

[7] Ludwig Boltzmann, *Lectures on Gas Theory*, University of California Press, 1896.

[8] Roger Penrose, "Singularities and Time-Asymmetry," in *General Relativity: An Einstein Centenary Survey*, ed. S. W. Hawking and W. Israel, Cambridge University Press, 1979.

[9] Roger Penrose, *The Road to Reality*, Jonathan Cape, 2004.

[10] Stephen W. Hawking, "Particle Creation by Black Holes," *Communications in Mathematical Physics*, vol. 43, pp. 199–220, 1975.

[11] Jacob D. Bekenstein, "Black Holes and Entropy," *Physical Review D*, vol. 7, no. 8, pp. 2333–2346, 1973.

[12] Sean Carroll, *From Eternity to Here*, Dutton, 2010.

[13] Ilya Prigogine and Isabelle Stengers, *Order Out of Chaos*, Bantam Books, 1984.

[14] Stuart Kauffman, *The Origins of Order*, Oxford University Press, 1993.

[15] Hermann Haken, *Synergetics: An Introduction*, Springer, 1983.

[16] Karl Friston, "The Free-Energy Principle: A Unified Brain Theory?" *Nature Reviews Neuroscience*, vol. 11, pp. 127–138, 2010.

[17] Karl Friston, James Kilner, and Lee Harrison, "A Free Energy Principle for the Brain," *Journal of Physiology-Paris*, vol. 100, pp. 70–87, 2006.

[18] Claude E. Shannon, "A Mathematical Theory of Communication," *Bell System Technical Journal*, vol. 27, pp. 379–423 and 623–656, 1948.

[19] John Archibald Wheeler, "Information, Physics, Quantum: The Search for Links," in *Complexity, Entropy, and the Physics of Information*, ed. W. Zurek, Addison-Wesley, 1990.

[20] Rolf Landauer, "Irreversibility and Heat Generation in the Computing Process," *IBM Journal of Research and Development*, vol. 5, no. 3, pp. 183–191, 1961.

[21] Lee Smolin, *Three Roads to Quantum Gravity*, Basic Books, 2001.

[22] Carlo Rovelli, *Quantum Gravity*, Cambridge University Press, 2004.

[23] Carlo Rovelli, *The Order of Time*, Riverhead Books, 2018.

[24] Murray Gell-Mann and James B. Hartle, "Time Symmetry and Asymmetry in Quantum Mechanics and Quantum Cosmology," in *Physical Origins of Time Asymmetry*, ed. J. J. Halliwell et al., Cambridge University Press, 1994.

[25] Wojciech H. Zurek, "Decoherence, Einselection, and the Quantum Origins of the Classical," *Reviews of Modern Physics*, vol. 75, pp. 715–775, 2003.

[26] Seth Lloyd, *Programming the Universe*, Knopf, 2006.

[27] David Deutsch, *The Fabric of Reality*, Penguin Books, 1997.

[28] Alfred North Whitehead, *Process and Reality*, Macmillan, 1929.

[29] Manuel DeLanda, *Intensive Science and Virtual Philosophy*, Continuum, 2002.

[30] Philip W. Anderson, "More Is Different," *Science*, vol. 177, no. 4047, pp. 393–396, 1972.