Deep Learning for Natural Language Processing

Practicals Overview

Chris Dyer



Carnegie Mellon University

Chris Dyer DeepMind Carnegie Mellon



Where do I come from?

PhD Linguistics (U of Maryland, USA, 2010) Postdoc CS (Carnegie Mellon, 2010–2012) Faculty CS (Carnegie Mellon, 2012–) **DeepMind (2016–)**

Chris Dyer DeepMind Carnegie Mellon



Where do I come from?

PhD Linguistics (U of Maryland, USA, 2010) Postdoc CS (Carnegie Mellon, 2010–2012) Faculty CS (Carnegie Mellon, 2012–) **DeepMind (2016–)**

What do I work on?

Linguistic structure in statistical/deep models

 better generalization, better sample complexity, more consistent in more languages

Discovering linguistic structure/units in data

• what kinds of linguistic knowledge can be inferred from the data? Machine translation, (syntactic|semantic) parsing, representation learning, morphology, user-generated content, generation ...

Practicals

Ground rules

- One **introductory practical** (more in a minute)
 - Turn in at beginning of week 3 or at the end of term
- Then, a **big multi-part practical** that you can do over the course of the term
 - "Choose your own adventure"
 - we provide a list of projects that you can choose from based on your interests (subject to some constraints)
 - You work at your own pace throughout the course
 - One report submitted at the end of term
 - Each student responsible for their own work

 Perceiving and representing text (and speech): "percepts" vs. "features"

Perceiving text Deep Learning for NLP

- Will you have the same "perceptual units" at test time as you have at training time?
 - How do you handle *unknown words*?
 - Do you tokenize (segment) text into tokens? What are tokens? Is "New York City" one token? Or three?
 - Do you lowercase? Attempt to correct spelling?
 - Do you just treat text as a stream of characters? Bytes?

Perceiving text Deep Learning for NLP

- Will you have the same "perceptual units" at test time as you have at training time?
 - How do you handle *unknown words*?
 - Do you tokenize (segment) text into tokens? What are tokens? Is "New York City" one token? Or three?
 - Do you lowercase? Attempt to correct spelling?
 - Do you just treat text as a stream of characters? Bytes?
- Trade offs
 - Smaller perceptual units need more complex models, but have fewer OOVs
 - Larger perceptual units can get away with simpler models, but OOVs are a problem

jobs dating more - UK edition -

theguardian website of the year

Companies must share benefits of globalisation, Theresa May tells Davos

PM says world's biggest firms must pay taxes and treat workers fairly, and market forces alone will not deliver for people

<u>Theresa May</u> has told the world's biggest companies they need to start paying their taxes and treat their workers more fairly in order to address the concerns of those who feel left behind by globalisation.

In a keynote speech to the <u>World Economic Forum</u>, the prime minister said governments could not rely on international market forces to deliver prosperity for everyone and action was needed to address the "deeply felt sense of economic inequality that has emerged in recent years".

May's warning that businesses needed to address the issue of executive pay and that market forces alone would not ensure the spread of prosperity to all ensured her first appearance in <u>Davos</u> was met with only lukewarm applause from her well-heeled audience.

The prime minister said that "across <u>Europe</u>, parties of the far left and the far right" were seeking to exploit the sense among people on modest incomes that globalisation was not working for them.







@AtlantaFalcons finna make the highlight real on @YouTube before y'all claim the "hype" that's repeated every year.

9:04 PM - 17 Jan 2017

🛧 1 1 67 🖤 73 •••






talking about Croatia and my mums just like "aye that's that auld Yugoslavia innit" don't think I've ever heard someone refer to it as that

4:25 PM - 9 Jan 2017

◆ 다 ♥ …



Collection size (# words)

Representing text

- Once we've engineered some percepts we can turn to...
- Representation learning
 - We want to compute representations of text by using it to predict something
 - As we saw in Part I of today's lecture, context is a pretty good representation of the lexical semantics of words

In practical 1

•

- You will explore representation learning based on predicting contexts
- To do so, you will need to establish the vocabulary you operate on

• Perceiving and representing text (and speech): "percepts" vs. "features"

- Perceiving and representing text (and speech): "percepts" vs. "features"
- **Text categorisation** ("text cat")

^{Dractical 1}

- Perceiving and representing text (and speech): "percepts" vs. "features"
- Text categorisation ("text cat")
- Natural language generation
 - language modelling
 - conditional language modelling
 - Conditional on a representation of context, generate appropriate text
 - Examples: speech recognition, caption generation


- Natural language understanding
 - Conditional language modeling applications (+NLG)
 - Translation, summarisation, conversational agents
 - Following instructions
 - Question answering, structured knowledge-base population
 - Dialogue

- Natural language understanding
 - Conditional language modeling applications (+NLG)
 - Translation, summarisation, conversational agents
 - Following instructions
 - Question answering, structured knowledge-base population
 - Dialogue
 - Analytic applications
 - Topic modeling
 - Linguistic analysis (discourse, semantics, syntax, morphology)

Practicals Deep Learning for NLP

- We are going to work with a single dataset that lets us explore many of these high level themes
- You will have the opportunity to transform a single dataset into a lot of different problems
 - This is an important skill in real-world ML
 - Data has lots of value if you can imagine interesting things to do with it
 - Outside of intro ML courses







- Appealing properties
 - Talks on many different topics but with a similar style
 - Enough data to learn interesting things, small enough to work on limited computational resources
- Interesting data of data associated with each talk
 - Topic labels, titles, summaries, topic labels, video, video alignments, translations into
- Who doesn't want to hear a computer-generated TED talk?



<head>


<url>http://www.ted.com/talks/rajiv_maheswaran_the_math_behind_basketball_s_wildest_moves</url>
<keywords>talks, math, sports, technology, visualizations</keywords>
<speaker>Rajiv Maheswaran</speaker>
<videourl>http://download.ted.com/talks/RajivMaheswaran_2015.mp4</videourl>
<date>2015/03/17</date>
<title>Rajiv Maheswaran: The math behind basketball's wildest moves</title>
<description>TED Talk Subtitles and Transcript: Basketball is a fast-moving game of improvisation,
contact and, ahem, spatio-temporal pattern recognition. Rajiv Maheswaran and his colleagues are analyzing
the movements behind the key plays of the game, to help coaches and players combine intuition with new
data. Bonus: What they're learning could help us understand how humans move everywhere.</description>

<transcription>

```
<seekvideo id="954">My colleagues and I are fascinated by the science of moving dots.</seekvideo>
<seekvideo id="4927">So what are these dots?</seekvideo>
<seekvideo id="6101">Well, it's all of us.</seekvideo>
<seekvideo id="7412">And we're moving in our homes, in our offices, as we shop and travel</seekvideo>
...
```




- The TED dataset contains 2,085 talks, each containing:
 - Multiple **topic labels** (e.g., "talks, business, creativity, curiosity, goal-setting, innovation, motivation, potential, success, work")
 - A **title** (12,766 words in all titles, excluding author names, which are always included in them)
 - A brief **content summary** (109,880 words in all summaries)
 - A content transcript with **alignments to frames** of the video recording (574,794 aligned segments)
 - Differences between subsequent video segments video frames give durations
 - Total content length is 5,201,252 tokens when tokenized
 - Annotations for **applause** and **laughter**
 - Translations into over 100 languages (although only a few languages have all talks)



(most talks are 2k-3k words)

of topic labels



(most talks have 4 keywords)

- Perceiving and representing text (and speech): "percepts" vs. "features"
- Text categorisation ("text cat")
- Natural language generation
 - language modelling
 - conditional language modelling
 - Conditional on a representation of context, generate appropriate text
 - Examples: speech recognition, caption generation

Deep Learning for NLP

- Perceiving and representing text (and speech): "percepts" vs.
 "features"
- Text categorisation ("text cat")
- Natural language generation
 - language modelling
 - conditional language modelling
 - Conditional on a representation of context, generate appropriate text
 - Examples: speech recognition, caption generation

Deep Learning for NLP

- Perceiving and representing text (and speech): "percepts" vs.
 "features"
- **Text categorisation** ("text cat")

predict talk labels

- Natural language generation
 - language modelling
 - conditional language modelling
 - Conditional on a representation of context, generate appropriate text
 - Examples: speech recognition, caption generation

Deep Learning for NLP

- Perceiving and representing text (and speech): "percepts" vs.
 "features"
- Text categorisation ("text cat")

predict talk labels

generate random TED talks

- Natural language generation
 - language modelling
 - conditional language modelling
 - Conditional on a representation of context, generate appropriate text
 - Examples: speech recognition, caption generation

Practical

Deep Learning for NLP

- Perceiving and representing text (and speech): "percepts" vs.
 "features"
- Text categorisation ("text cat")

predict talk labels

- Natural language generation
 - language modelling

- generate random TED talks
- conditional language modelling
 - Conditional on a representation of context, generate appropriate text
 - Examples: speech recognition, caption generation

Practical

- Natural language understanding
 - Conditional language modeling applications (+NLG)
 - Translation, summarisation, conversational agents
 - Following instructions
 - Question answering, structured knowledge-base population
 - Dialogue
 - Analytic applications
 - Topic modeling
 - Linguistic analysis (discourse, semantics, syntax, morphology)

- Natural language understanding
 - Conditional language modeling applications (+NLG)
 - Translation, summarisation, conversational agents
 - Following instructions
 - Question answering, structured knowledge-base population
 - Dialogue
 - **Analytic applications**
 - Topic modeling
 - Linguistic analysis (discourse, semantics, syntax, morphology)

- Natural language understanding
 - Conditional language modeling applications (+NLG)
 - Translation, summarisation, conversational agents
 generate summaries from TED talks
 - Following instructions
 - Question answering, structured knowledge-base population
 - Dialogue
 - Analytic applications
 - Topic modeling
 - Linguistic analysis (discourse, semantics, syntax, morphology)

- Natural language understanding
 - Conditional language modeling applications (+NLG)
 - Translation, summarisation, conversational agents generate summaries from TED talks
 - Following instructions
 - Question answering, structured knowledge-base population
 - Dialogue
 - **Analytic applications**
 - Topic modeling


Linguistic analysis (discourse, semantics, syntax, morphology)

- Natural language understanding
 - Conditional language modeling applications (+NLG)
 - Translation, summarisation, conversational agents generate summaries from TED talks
 - Following instructions
 - Question answering, structured knowledge-base population
 - Dialogue
 - **Analytic applications**
 - Topic modeling

Linguistic analysis (discourse, semantics, syntax, morphology) when will the audience laugh?

Software in Practicals

- Deep learning operate on basic features with complex models that consist of common components stacked together
- Work flow



- Deep learning operate on basic features with complex models that consist of common components stacked together
- Work flow
 - design model → implement → test → analyse → repeat
- Implementation of models is non-trivial
 - Computations must be **fast**
 - Derivative calculations are **easy to get wrong**

- Deep learning operate on basic features with complex models that consist of common components stacked together
- Work flow
 - design model → implement → test → analyse → repeat
- Implementation of models is non-trivial
 - Computations must be **fast**
 - Derivative calculations are **easy to get wrong**
- Solution: toolkits that simplify implementation of models
 - standard component building blocks (lin alg, nonlinearities, convolutions, etc.)
 - facilities for automatic differentiation

- This course: you are free to use your own toolkit
 - However, demonstrators know
 - Torch (and interested in pytorch)
 - TensorFlow
 - Many other options
 - Theano
 - DyNet (similar to pytorch, designed for language, fastest toolkit on CPU), written by me

Understanding Toolkits

- How do you declare computation graphs?
 - **Static** (e.g. TensorFlow, Theano)
 - Write down a symbolic expression representing all calculations you will carry out for different training instances
 - Toolkit optimizes it and gives you training/prediction code

Understanding Toolkits

- How do you declare computation graphs?
 - Static (e.g. TensorFlow, Theano)
 - Write down a symbolic expression representing all calculations you will carry out for different training instances
 - Toolkit optimizes it and gives you training/prediction code
 - **Dynamic** (e.g., DyNet, pytorch)
 - Write code that computes predictions
 - Symbolic representation of computation is written down implicitly (based on operator overloading) by toolkit

Static vs. Dynamic

· Static

- Pros: toolkits can optimize the computation graph (think: compilers)
- Cons: you write code to write a symbolic program that the toolkit executes. The symbolic language is sometimes impoverished

Static vs. Dynamic

· Static

- Pros: toolkits can optimize the computation graph (think: compilers)
- Cons: you write code to write a symbolic program that the toolkit executes. The symbolic language is sometimes impoverished

Dynamic

- Pros: You write code in your favorite language (as long as your favorite language is C++ or Python)
- Cons: Toolkit has fewer opportunities to optimize

Static vs. Dynamic

		Dynamic				Static	
Model	Metric	DyC++	DyPy	Chainer	DyC++Seq	Theano	\mathbf{TF}
RNNLM (MB=1)	words/sec	190	190	1 14	494	189	298
RNNLM (MB=4)	words/sec	830	825	295	1510	567	473
RNNLM (MB=16)	words/sec	1820	1880	79 4	2400	1100	606
RNNLM (MB=64)	words/sec	2440	2470	1340	2820	1260	636
BiLSTM Tag	words/sec	427	428	22.7	-	102	143
BiLSTM Tag+Char	words/sec	419	413	22.0	-	94.3	-
TreeLSTM	sents/sec	91.6	88.1	7.21	-	-	-

Enjoy the Practicals ;)